



Government of India  
Ministry of Commerce & Industry  
Petroleum & Explosives Safety Organisation (PESO)  
5th Floor, A-Block, CGO Complex, Seminary Hills,  
Nagpur - 440006



E-mail : explosives@explosives.gov.in

Phone/Fax No : 0712 -2510248, Fax-251057

Dated : 30/12/2019

Approval No : A/P/HQ/MH/104/6358 (P463786)

To,

M/s. CTCConnection Technology Center, Inc.,  
7939 Rae Bkvd Victor ,NEW YORK  
14564  
U.S.A

11 JAN 2020

Sub : Approval of Intrinsically Safe Type Electrical Equipment of Transducer Sensor / AC9\*\* Series and TA9\*\* Series under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. OIN395359 dated 06/12/2019 on the subject.

The following Ex electrical equipment(s) manufactured by you according to IEC 60079-0 : 2017, IEC 60079-11 : 2011, standards and covered under SIRA Certification Service Test reports mentioned below is/are approved for use in Zone 1 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Transducer Sensor / AC9** Series and TA9** Series	Ex ia IIC T3 .. T4 Ga	P463786/1	SIRA Certification Service	IECEX SIR 15.0060X Issue No. 1	05/11/2019	As Per Test Report

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the SIRA Certification Service Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
  - (a) Name of the manufacturer
  - (b) Name and number by which the equipment is identified.
  - (c) Number & date of the test report of the SIRA Certification Service applicable to the equipment.
  - (d) Equipment reference number of this letter by which use of apparatus is approved.
  - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the SIRA Certification Service Test report and is identical with the one tested and certified at SIRA Certification Service shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by SIRA Certification Service in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative AUTOMATION SOLUTIONS PLC, SAMIDHAN BANGLOW 1098/7 ,NEAR MODERN COLONY, SHIVAJI NAGAR, PUNE MAHARASHTRA 411016

This approval also covers the permissible variations as approved under the SIRA Certification Service test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis.

The Approval is Valid upto 31/12/2023

Yours faithfully,

(R.A.GUJAR)  
Dy. Chief Controller of Explosives  
For Chief Controller of Explosives  
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI
2. AUTOMATION SOLUTIONS PLC,SAMIDHAN BANGLOW 1098/7 ,NEAR MODERN COLONY, SHIVAJI NAGAR, PUNE MAHARASHTRA 411016

for Chief Controller of Explosives  
Nagpur